



Made in POLAND

PLASTERING MACHINE
type

BAPRO one 230V

STRONG MAX





BAPRO Company is a Polish manufacturer of specialized plastering machines, spare parts, and accessories. We produce special machinery for spraying premixed mortars eg.: gypsum plaster, lime - cement plaster or cement plaster. Designing the machine we take care of the highest levels of components to guarantee their reliability and long stabilization work. We have a range of innovative solutions that provide unprecedented long stable operation. If you appreciate high quality and looking for a stabilizing work our machine will be optimal for you!

If you appreciate high quality and looking for an efficient machine you should thinking about purchase machine type **BAPRO one 230V STRONG MAX**. We recommend probably the best plastering machine in the World.

This is an innovative machine on a global scale which is the only one based on a patented proprietary solution consisting of a variable work system. Until now, many numbers of construction works have been carried out manually or using several machines. To minimize costs and increasing work efficiency, we have developed **BAPRO one 230V**

STRONG MAX. We can confidently say that this machine sets new standards in plastering machines. Unlike typical plastering machines, it allows you to expand the scope of services without focusing only on factory-dry mixed mixtures for machine use, in particular gypsum or cement-lime plasters, but also in addition to liquid mortars in buckets e.g. (facade plaster, liquid screeds, finishing coats or glue). Our solution also allows the use of the machine for traditional plastering with cement-lime mortar mixed in a concrete mixer and then spraying.



RECOMMENDED USE

Gypsum plasters

Gypsum liment plaster

Cement - lime plaster

Lining plasters (renderings)

Light plasters

Restoration plaster / renovation

Decorative plasters

Anhydrite floor screeds

Bonding mortar

Traditional cement - lime plasters with sand

Finishing coat

Plastering machine type **BAPRO one 230V STRONG MAX** in combination with Pneumatic dry mortar conveying the type of machine BAPRO 140T , provide you the best efficiency and comfortable work.

It is an optimal solution for transporting dry premixed materials from a silo.

Dust-free and automatic material is taken from the silo and delivered remotely to the plastering machine.

This type of machine is very helpful at high buildings and large m2 objects because it avoids the problem of wearing bags.






Additional special spraying gun with controlled pressure parameter 15 meters is helpful for spraying many materials, including finishing coat.



product code 0540



Water block made of stainless steel. **Dual water filtration system** through the use of filters, cleaning protects the components. No damage to the fittings and switches since they are protected.

Electrical control box: dust protection and excellent ease of maintenance. The best industrial automation system includes LEDs, enhanced aesthetics contactors and provides trouble-free control of the whole machine (high standard of work)

special gear motors NORD include mixed and pump gearmotor 5,5 kW and material feeder gearmotor 0,55 KW contains a special execution. Variable speed control by the inverter.

Water pump type 50M ensures the continuity of work to stabilize the water pressure to provide the best consistency of the mortar.

For us always count details !



High-performance compressor type **HANDY K2** gives optimum spray material. Is maintenance-free and does not contain oil and include pressure switch.

Maximum stability due to the robust frame structure. Three Elemental reinforced structure gives great freedom of maneuver in the plumb or level and easy to transport. We offer system of four wheels rotatable about 360 degrees to facilitate the movement

Very good equipment and high quality (aesthetics) provides safety and convenience continuous work. Long spray gun 100cm with special rotary coupling. Material hose and air hose with special rubber.

ADVANTAGES !

- high-quality components
- universal power supply 230 Volts
- required fuse B20
- variable speed control by the inverter
- ease of use and simple design
- high performance
- 5 - year warranty
- wide range of applications
- operational reliability
- long distance of mortar conveying
- easy and safety transport
- low height of the hopper
- extensive hopper 130 liters
- compressor oil-free HANDY K2
- reinforced geared motors NORD
- the opportunity to work with such devices
Pneumatic feeder mortar BAPRO 140T

Our machine is characterized by low operating costs!

We offer all access to spare parts and service.

Our technical staff have experience and always is helpful.

You can count on our commitment!



HAPPY
CUSTOMERS



Technical data

- Pumping : variable controlled by the inverter from 4 to 40 liter per minute
- Distance delivery : to 50 meter
- Power supply: 400 Volts / 50 Hz
- Drives : 2 three-phase motors 400V/ 50 Hz
- Gearmotor 5,5 kW 286 rpm
- Gearmotor 0,55 kW 22 rpm
- Compressor 1090 W efficiency 250 l/min
- Dimensions L/W/H:1250/720/1530 mm
- Filing height : 90cm
- Total weight 260 kg



CONTACT

- address: PL 45-920 Opole , Brzoskwiniowa 18
POLAND
- telephone: +48 77 45 66 447
- telephone: +48 606 91 40 40
- e-mail: info@bapro.com.pl
- website: www.bapro.com.pl

B BAPRO