


PLASTERING MACHINE

type

BAPRO one PLUS

400 Volt



100 % SATISFACTION



BAPRO Company is a Polish manufacturer of specialized plastering machines, spare parts, and accessories. We produce special machinery for spraying premixed mortars eg.: gypsum plaster, lime - cement plaster or cement plaster. Designing the machine we take care of the highest levels of components to guarantee their reliability and long stabilization work. We have a range of innovative solutions that provide unprecedented long stable operation. If you appreciate high quality and looking for a stabilizing work our machine will be optimal for you!

If you planning to grow your business based on service for finishing work, as gypsum plaster, cement - lime plaster or smooth floor our plastering machine will be the best solution. Plastering machine type BAPRO one PLUS 400V is the best mixing pump and sprayer for dry premixed materials. Our machine characterized by unique in design, highperformance work, simple operation, easy to transportation, optimal dimensions outer. Such attributes are the unique characteristic of the BAPRO brand. With this in mind created specifically for you highly efficient plastering unit BAPRO one PLUS. Now, you can comfortably perform your work at

a prominent growth in labor productivity. Applied design solutions and the latest technology will affect the operating cycle and at the same time ensure a long trouble-free operation of your machine. Operation of the machine is very easy! Just purchase premixed material, then automatically followed the mixing material with water. Ready-mixed mortar is pumped by a high-performance screw pump (stator and rotor), by infeed hose to spray gun. Mortar is sprayed onto the substrate to yield a high rate of job growth while convenience. Construction of the machine allows it to move smoothly because of the 4 wheels rotated around its axis. Ease of transporting the stairs provide three parts of construction and strong transport handles. High quality and aesthetic of equipment will provide easy handling of the spraying operation. Do not delay the decision until tomorrow! Today, make sure that your company could grow quickly!





RECOMMENDED USE

Gypsum plasters

Gypsum liment plaster

Cement - lime plaster

Lining plasters (renderings)

Light plasters

Restoration plaster / renovationg

Decorative plasters

Anhydrite floor screeds

please see video presentation:

www.bapro.com.pl

Plastering machine type **BAPRO one PLUS** in combination with Pneumatic dry mortar conveying the type of machine BAPRO 140T

, provide you the best efficiency and comfortable work.

It is an optimal solution for transporting dry premixed materials from a silo.

Dust-free and automatic material is taken from the silo and delivered remotely to the plastering machine.

This type of machine is very helpful at high buildings and large m2 objects because it avoids the problem of wearing bags.







Our machine is characterized by low operating costs!

We offer all access to spare parts and service.

Our technical staff have experience and always is helpful.

You can count on our commitment!

BAPRO

For us always count details!

Water block
made of
stainless steel.
Dual water
filtration
s y s t e m
through the use
of filters,
cleaning
protects the
components.
No damage to
the fittings and
switches since
they are
protected.

Electrical control box: dust protection and excellent ease of main- tenance. The best industrial automation system includes LEDs, enhanced aesthetics contactors and provides trouble-free control of the whole machine (high standard of work)

special gear motors NORD include mixed and pump gearmotor 5,5 kW and material feeder gearmotor 0,55 kW contains a special execution. Water pump type 50M ensures the continuity of work to stabilize the water pressure to provide the best consistency of the mortar.

the technology named
"STRONG MAX" it allows
you to do more work.
BAPRO offer double
system work between the
mixing-pump or only pump
so you can take advantage
of even more potential
plastering machine. With
our system you can decide
yourself whether you want
to work on dry ready
mortar how gypsum or
lime-cement or assume we
developed adapter and you
are using the liquid
materials such as facade
plaster, glue.
















H i g h - performance compressor type HANDY K2 gives optimum spray material. Is maintenance-free and does not contain oil and include pressures

Maximum stability due to the robust frame structure. Three Elemental reinforced structure gives great freedom of maneuver in the plumb or level and easy to transport. We offer system of four wheels rotatable about 360 degrees to facilitate the movement



Very good equipment and high quality (aesthetics) provides safety and convenience continuous work. Long spray gun 100cm with special rotary coupling. Material hose and air hose with special rubber.







We provide a lot of thoughtful technical solutions and a lot of square meter per day.

TECHNICAL DATA

- Pumping: variable from 4 to 8 liter per minute
- Distance delivery : to 50 meter
- Power supply: 400 Volts / 50 Hz
- Drives: 2 three-phase motors 400V/50 Hz
- Gearmotor 5,5 kW 416 rpm
- Gearmotor 0,55 kW 29 rpm
- Compressor 900 W efficiency 250 l/min
- Dimensions L/W/H:1250/720/1530 mm
- Filing height: 90cm
- Total weight 260 kg

ADVANTAGES

- high-quality components
- ease of use and simple design
- high performance
- 5 year warranty
- wide range of applications
- operational reliability
- long distance of mortar conveying
- easy and safety transport
- low height of the hopper
- extensive hopper 130 liters
- compressor oil-free HANDY K2
- reinforced geared motors NORD
- the opportunity to work with such devices
 Pneumatic feeder mortar BAPRO 140T



CONTACT

- address: PL 45-920 Opole , Brzoskwiniowa 18
 POLAND
- telephone: **+48 77 45 66 447**
- telephone: **+48 606 91 40 40**
- e-mail: info@bapro.com.pl
- website: www.bapro.com.pl