

# BAPRO



BAPRO one STRONG MAX  
400 Volt  
Innovative plastering machine



**JAKOŚĆ**

**QUALITY**

Every year, we trust hundreds of customers buy BAPRO machines. This is sufficient proof that BAPRO machines are valued for the highest quality. The satisfaction and confidence of our customers to the brand and award appropriate for us BAPRO further motivation to work! We are proud of our products that contribute to the development of so many construction companies. Join the Group of our customers.

गण वत्ता

KVALITA

جودة

Якасць

質量

Calidad

Qualität

Qualità

Качество



Innovation! It's the first word that should come to associate brand BAPRO.

As a leading Polish manufacturer of specialist construction machinery for finishing work, we take care of the highest level of equipment produced by us. A number of innovative design solutions applied on a global scale. Our products are characterized by high quality, solid execution, an interesting design in combination with attractive prices! We are a modern company with many years of experience. Over the years consistently build a solid brand from good quality Made In Poland! Well qualified staff provides the highest level of service. Our goal is to produce plaster machines for customers requiring and appreciating the quality and stability of employment. By constructing a machine we care about the highest level components to guarantee their reliability. Trust us and our customers motivate us to continue to work effectively. We are prepared for the needs of the market and the needs of our customers.

The only BAPRO company that has a double variable operating system. FIRST (mixing the dry material with water and pumping) and SECOND (only pumping the finished wet material).



## RECOMMENDED

### **Gypsum plasters**

Gypsum liment plaster

### **Cement - lime plaster**

Cement plaster

### **Light plasters**

Restoration plaster

### **Decorative plasters**

Anhydrite floor screeds

### **Self levelling floor screed**

Spray plaster

### **Traditional cement - lime plasters**

Door frame grouting mortar

### **Bonding mortar**

Renovation plaster

### **Special refractory masses**



# Why BAPRO one STRONG MAX 400 Volt ?

The difference is in the detail.

High-performance compressor type HANDY K2 gives optimum spray material. Is maintenance-free and does not contain oil.



Electrical control box: dust protection and excellent ease of maintenance. The best industrial automation system includes LEDs, enhanced aesthetics contactors, and provides trouble-free control of the whole machine (high standard of work)



Our compressor gives an efficiency of 250 liters per minute.

- includes two exchangeable filters that are easy to replace

- contains heads for good cooling

- the compressor contains a mounted pressure switch that allows the operator to turn the machine on and off via the air valve on the spraying gun.



easy transportation is enough for only two people

- convenient service, the ability to repair the component without the need to deliver the entire machine

- large container for the material 145 liters

- convenient dimensions, width only 72 cm

- easy maneuvering of the machine due to the use of wide rubber wheels with safety brakes, all wheels rotate around 360

- transport handles made of solid material not tubing is a guarantee of safety and ensure



Water pump type 50M ensures the continuity of work to stabilize the water pressure to provide the best consistency of the mortar.

Water block made of stainless steel. Dual water filtration system through the use of filters, cleaning protects the components. No damage to the fittings and switches since they are protected.



Our gear-motors include a special hardened drive shaft and reinforced bearings. The high torque combined with the increased speed results in a fast mortar spraying process. Additives such as a safety tilt sensor and an automatic oil vent give very good engine performance and ensure safe operation.



#### Technical data

- Pumping : variable controlled by the stator&rotor from 8 to 80 liter per minute
- Distance delivery : to 50 meter
- Power supply: 400 Volts / 50 Hz
- Drives : 2 three-phase motors 400V/ 50 Hz
- Gearmotor 5,5 kW 416 rpm
- Gearmotor 0,55 kW 29 rpm
- Compressor 900 W efficiency 250 l / min
- Dimensions L/W/H:1250/720/1530 mm
- Filing height : 90cm
- Weight 240 kg

#### Contact:

- address: POLAND  
45-920 Opole , Brzoskwiniowa 18
- telefon +48 606 91 40 40
- telefon +48 77 45 66 447
- e-mail : info@bapro.com.pl
- website: www.bapro.com.pl